

## Papers citing the PSI TBI device

- Anderson, K. J., Scheff, S. W., Miller, K. M., Roberts, K. N., Gilmer, L. K., Yang, C. and Shaw, G. (2008). The phosphorylated axonal form of the neurofilament subunit NF-H (pNF-H) as a blood biomarker of traumatic brain injury. *J Neurotrauma* 25, 1079-85.
- Ansari, M. A., Roberts, K. N. and Scheff, S. W. (2008). Oxidative stress and modification of synaptic proteins in hippocampus after traumatic brain injury. *Free Radic Biol Med* 45, 443-52.
- Ansari, M. A., Roberts, K. N. and Scheff, S. W. (2008). A time course of contusion-induced oxidative stress and synaptic proteins in cortex in a rat model of TBI. *J Neurotrauma* 25, 513-26.
- Bruce-Keller, A. J., Dimayuga, F. O., Reed, J. L., Wang, C., Angers, R., Wilson, M. E., Dimayuga, V. M. and Scheff, S. W. (2007). Gender and estrogen manipulation do not affect traumatic brain injury in mice. *J Neurotrauma* 24, 203-15.
- Gilmer, L. K., Roberts, K. N., Joy, K., Sullivan, P. G. and Scheff, S. W. (2009). Early mitochondrial dysfunction after cortical contusion injury. *J Neurotrauma* 26, 1271-80.
- Gilmer, L. K., Roberts, K. N. and Scheff, S. W. (2008). Efficacy of progesterone following a moderate unilateral cortical contusion injury. *J Neurotrauma* 25, 593-602.
- Guseva, M. V., Hopkins, D. M., Scheff, S. W. and Pauly, J. R. (2008). Dietary choline supplementation improves behavioral, histological, and neurochemical outcomes in a rat model of traumatic brain injury. *J Neurotrauma* 25, 975-83.
- Hall, E. D., Bryant, Y. D., Cho, W. and Sullivan, P. G. (2008). Evolution of post-traumatic neurodegeneration after controlled cortical impact traumatic brain injury in mice and rats as assessed by the de Olmos silver and fluorojade staining methods. *J Neurotrauma* 25, 235-47.
- Hunt, R. F., Scheff, S. W. and Smith, B. N. (2009). Posttraumatic epilepsy after controlled cortical impact injury in mice. *Exp Neurol* 215, 243-52.
- Hunt, R. F., Scheff, S. W. and Smith, B. N. (2010). Regionally localized recurrent excitation in the dentate gyrus of a cortical contusion model of posttraumatic epilepsy. *J Neurophysiol* 103, 1490-500.
- Kelso, M. L., Scheff, S. W., Pauly, J. R. and Loftin, C. D. (2009). Effects of genetic deficiency of cyclooxygenase-1 or cyclooxygenase-2 on functional and histological outcomes following traumatic brain injury in mice. *BMC Neurosci* 10, 108-116.
- Kelso, M.L., Wehner, J.M., Collins, A.C., Scheff, S.W. and Pauly, J.R. (2006). The pathophysiology of traumatic brain injury in a7 nicotonic cholinergic receptor knockout mice. *Brain Res.* 1083, 204-210.
- Norris, C. M. and Scheff, S. W. (2009). Recovery of afferent function and synaptic strength in hippocampal CA1 following traumatic brain injury. *J Neurotrauma* 26, 2269-78.